

PosiFrac[®]

C

-
-
-
-
-



TAM INTERNATIONAL

TAM

PosiFrac




Auto Piston

PosiFrac®

TAM

Insta-Set Valve®

0.45 / .



TAM

PosiFrac

335

121 °C.




TAM

Insta-Set

PosiFrac

100

TAM




INSTA-SET

Insta-Set

PosiFrac

TAM

50 /



PosiFrac

TAM


:

	2-1/8 54	2-5/8 66,7	3-1/16 77,8	3-7/16 87,3	4-1/4 108	5-1/2 139,7	7 177,8	*
	0,56 14,2	0,63 16,00	1 25,40	1 25,44	1-1/2 38,10	1-3/4 44,45	2-3/4 69,85	*
	1,315 33,4	NU 1,900 48,26	NU 2-3/8 60,33	EU 2-3/8 60,33	EU 2-3/8 60,33	EU 2-7/8 73,03	EU 4-1/2 114,3	IF

* 2-1/2 PosiFrac (63,5) « » 7 (177,8),

** EU 4-1/2 (114,3) PosiFrac 7-1/2 (190,5).

PosiFrac



TAM INTERNATIONAL

+ 7(495)5029333
+ 7(916)2127778
+ 7(495)5029333

Vitaly.Vidavsky@tamintl.com

www.tamintl.com
()

TAM International